

FROM: 3 Elmhurst Street, Newport News, VA 23603, USA

24

A man and a woman are standing behind a blue padded table, likely demonstrating the equipment. The man is wearing a blue protective suit with "Berlington Medical" and an American flag patch. The woman is wearing a green protective suit. They are both smiling and looking at the camera. The table has a blue padded top and a grey base with vertical panels. The background is a plain white wall.

BARRIERS



56-602

Mobile leaded barrier 2.0mmPbEq window 36Wx24H overall 39Wx64H 200lbs

Overall Dimensions	Window Dimensions	Shipping Weight	Color
39"W x 64"H x 32"D	36"W x 24"H	500 LBS	Tan

Protection: Glass 2.00mm Pb LE / Opaque
Leaded Steel Panels 2.00mm Pb LE

Material: Leaded glass and leaded steel opaque panel



56-603

Mobile leaded barrier 2.0mmPbEq window 30Wx24H overall 33.5Wx75H 225lbs

Overall Dimensions	Window Dimensions	Shipping Weight	Color
33.5"W x 75"H x 30"D	30"W x 24"H	400 LBS	Tan

Protection: Glass 2.00mm Pb LE / Opaque
Leaded Steel Panels 2.00mm Pb LE

Material: Leaded glass and leaded steel opaque panel



56-603-MRI

Mobile leaded barrier 2.0mmPbEq window 30Wx24H overall 33.5Wx75H 225lbs MRI SAFE

Overall Dimensions	Window Dimensions	Shipping Weight	Color
33.5"W x 75"H x 30"D	30"W x 24"H	350 LBS	Tan

Protection: Glass 2.00mm Pb LE / Opaque
Leaded ALUMINUM Panels 2.00mm Pb LE

Material: Lead Glass and ALUMINUM



56-604

Mobile leaded barrier 2.0mmPbEq window 30Wx60H overall 33.5Wx75H 225lbs

Overall Dimensions	Window Dimensions	Shipping Weight	Color
33.5" W x 75" H x 30"D	30"W x 60"H	400 LBS	Tan

Protection: Glass 2.00mm Pb LE / Opaque
Leaded Steel Panels 2.00mm Pb LE

Material: Leaded glass and leaded steel opaque panel



56-604-2C-12

Mobile leaded barrier 12 inch legs 2.0mmPbEq window 30Wx60H overall 33.5Wx75H 225lbs

Overall Dimensions	Window Dimensions	Shipping Weight	Color
33.5" W x 75" H x 24.5"D	30"W x 60"H	400 LBS	Tan

Protection: Glass 2.00mm Pb LE / Opaque
Leaded Steel Panels 2.00mm Pb LE

Material: Leaded glass and leaded steel opaque panel



56-604-2C-13

Mobile leaded barrier 13 inch legs 2.0mmPbEq window 30Wx60H overall 33.5Wx75H 225lbs

Overall Dimensions	Window Dimensions	Shipping Weight	Color
33.5" W x 75" H x 26.5"D	30"W x 60"H	400 LBS	Tan

Protection: Glass 2.00mm Pb LE / Opaque
Leaded Steel Panels 2.00mm Pb LE

Material: Leaded glass and leaded steel opaque panel



56-604-MRI

Mobile leaded barrier 2.0mmPbEq window 30Wx60H overall 33.5Wx75H 225lbs MRI SAFE

Overall Dimensions	Window Dimensions	Shipping Weight	Color
33.5" W x 75" H x 30"D	30"W x 60"H	350 LBS	Tan

Protection: Glass 2.00mm Pb LE / Opaque
Leaded ALUMINUM Panels 2.00mm Pb LEE

Material: Lead Glass and ALUMINUM

**Better Fit
= Better
Protection!**

Experience the Confidence
and Comfort of a Perfectly
Fitted Apron.



BARRIERS



56-616

Mobile leaded barrier 2.0mmPbEq window 48Wx30H overall 52.5Wx75H 300lbs

Overall Dimensions	Window Dimensions	Shipping Weight	Color
52.5" W x 75" H x 38"D	48" W x 30"H	575 LBS	Tan

Protection: Glass 2.00mm Pb LE / Opaque
Leaded Steel Panels 2.00mm Pb LE

Material: Leaded glass and leaded steel opaque panel



56-618

Mobile leaded barrier 2.0mmPbEq window 72Wx36H overall 75.5Wx75H 442.5lbs

Overall Dimensions	Window Dimensions	Shipping Weight	Color
75.5" W x 75" H x 36"D	72" W x 36" H	885 LBS	Tan

Protection: Glass 2.00mm Pb LE / Opaque
Leaded Steel Panels 2.00mm Pb LE

Material: Leaded glass and leaded steel opaque panel



56-620

Mobile leaded barrier 2.0mmPbEq window 10Wx12H overall 24Wx72H 175lbs

Overall Dimensions	Window Dimensions	Shipping Weight	Color
24"W x 72"H x 30"D	10"W x 12"H	350 LBS	Tan

Protection: Glass 2.00mm Pb LE / Opaque
Leaded Steel Panels 2.00mm Pb LE

Material: Leaded glass and leaded steel opaque panel

DID YOU KNOW?

Healthcare-associated infections (HAIs) are estimated to affect 1 in 25 patients daily in the United States

Here's how to better protect patients and healthcare workers from joining this statistic.

READ NOW





56-622

Mobile leaded barrier 2.0mmPbEq window 10Wx12H overall 30Wx72H 225lbs

Overall Dimensions	Window Dimensions	Shipping Weight	Color
30"W x 72"H x 30"D	10"W x 12"H	450 LBS	Tan

Protection: Glass 2.00mm Pb LE / Opaque
Leaded Steel Panels 2.00mm Pb LE

Material: Leaded glass and leaded steel opaque panel



56-623

Mobile leaded barrier 2.0mmPbEq window 10Wx12H overall 30Wx84H 225lbs

Overall Dimensions	Window Dimensions	Shipping Weight	Color
30"W x 84"H x 30"D	10"W x 12"H	450 LBS	Tan

Protection: Glass 2.00mm Pb LE / Opaque
Leaded Steel Panels 2.00mm Pb LE

Material: Leaded glass and leaded steel opaque panel



56-624

Mobile leaded barrier 2.0mmPbEq window 10Wx12H overall 36Wx72H 225lbs

Overall Dimensions	Window Dimensions	Shipping Weight	Color
36"W x 72"H x 30"D	10"W x 12"H	470 LBS	Tan

Protection: Glass 2.00mm Pb LE / Opaque
Leaded Steel Panels 2.00mm Pb LE

Material: Leaded glass and leaded steel opaque panel



56-625

Mobile leaded barrier 2.0mmPbEq window 10Wx12H overall 36Wx84H 250lbs

Overall Dimensions	Window Dimensions	Shipping Weight	Color
36"W x 84"H x 30"D	10"W x 12"H	500 LBS	Tan

Protection: Glass 2.00mm Pb LE / Opaque
Leaded Steel Panels 2.00mm Pb LE

Material: Leaded glass and leaded steel opaque panel

BARRIERS



56-626

Mobile leaded barrier 2.0mmPbEq window 10Wx12H overall 45Wx72H 275lbs

Overall Dimensions	Window Dimensions	Shipping Weight	Color
45"W x 72"H x 30"D	10"W x 12"H	550 LBS	Tan

Protection: Glass 2.00mm Pb LE / Opaque
Leaded Steel Panels 2.00mm Pb LE

Material: Leaded glass and leaded steel opaque panel



56-628

Mobile leaded barrier contoured 2.0mmPbEq window 24Wx-20H overall 27.5Wx75H 225lbs

Overall Dimensions	Window Dimensions	Shipping Weight	Color
27.5"W x 75"H x 30.5"D	24"W x 20"H	450 LBS	Tan

Protection: Glass 2.00mm Pb LE / Opaque
Leaded Steel Panels 2.00mm Pb LE

Material: Leaded glass and leaded steel opaque panel



56-629

Mobile leaded barrier tilted 2.0mmPbEq window 30Wx24H overall 34Wx70H 225lbs

Overall Dimensions	Window Dimensions	Shipping Weight	Color
34"W x 75"H x 25"D	30"W x 24"H	400 LBS	Tan

Protection: Glass 2.00mm Pb LE / Opaque
Leaded Steel Panels 2.00mm Pb LE

Material: Leaded glass and leaded steel opaque panel

An advertisement featuring two mannequins wearing blue and white patterned radiation protection vests. The text reads: "Explore our Tips for Choosing the Correct Radiation Protection Garments". Below the text is a yellow "VIEW NOW" button and a QR code.



56-630 WITH DRAPE

TILTED MOBILE BARRIER REACH THROUGH WITH DRAPE

Overall Dimensions	Window Dimensions	Shipping Weight	Color
33.5"W x 75"H x 30"D	30"W x 24"H	400 LBS	Tan

Protection: Glass 2.00mm Pb LE / Opaque
Leaded Steel Panels 2.00mm Pb LE

Material: Leaded glass and leaded steel opaque panel



56-631

Mobile leaded barrier collapsible 2.0mmPbEq window
27.5Wx37.4H overall 30Wx75H 200lbs

Overall Dimensions	Window Dimensions	Shipping Weight	Color
31"W x 74.4" H x 21 5/8"D	24"W x 24"H	425 LBS	Tan

Protection: Acrylic Window 0.5mm Pb LE and
Leaded Steel Panels 2.00 Pb LE

Material: Leaded acrylic and leaded steel opaque panel



56-631-2C-12

Mobile leaded barrier collapsible 12 inch legs 2.0mmPbEq
window 27.5Wx37.4H overall 30Wx75H 200lbs

Overall Dimensions	Window Dimensions	Shipping Weight	Color
31"W x 74.4" H x 24.5"D	24"W x 24"H	425 LBS	Tan

Protection: Acrylic Window 0.5mm Pb LE and
Leaded Steel Panels 2.00 Pb LE

Material: Leaded acrylic and leaded steel opaque panel



56-631-2C-13

Mobile leaded barrier collapsible 13 inch legs 2.0mmPbEq
window 27.5Wx37.4H overall 30Wx75H 200lbs

Overall Dimensions	Window Dimensions	Shipping Weight	Color
31"W x 74.4" H x 26.5"D	24"W x 24"H	400 LBS	Tan

Protection: Acrylic Window 0.5mm Pb LE and
Leaded Steel Panels 2.00 Pb LE

Material: Leaded acrylic and leaded steel opaque panel

PORTA SHIELDS



PTSSHIELD1

DRAPE ONLY FOR PTS1 24" L X 24"

Overall Dimensions	Shipping Weight	Color
24" L x 24" W	8 LBS	Grey Vinyl
Protection: Drape Lead 0.5mm Pb LE		
Material: Lead protective material		



PTSSHIELD2

DRAPE ONLY FOR PTS2 36" L X 24" W

Overall Dimensions	Shipping Weight	Color
24" L x 24" W	11 LBS	Grey Vinyl
Protection: Drape Lead 0.5mm Pb LE		
Material: Lead protective material		



PTSSHIELD3

DRAPE ONLY FOR PTS3 48" L X 24" W

Overall Dimensions	Shipping Weight	Color
48" L X 24" W	14 LBS	Grey Vinyl
Protection: Drape Lead 0.5mm Pb LE		
Material: Lead protective material		



PTSASSY

Companion stand for PTSSHIELD

Porta Shield Hardware (5-wheel base and telescoping pole)
Only. Drape not included.

Overall Dimensions	Shipping Weight	Color
24" Diameter	15 LBS	White
Material: Aluminum		



PTS SHIELD 4

DRAPE ONLY FOR 36" x 24"

Overall Dimensions	Shipping Weight	Color
36" x 24"	11 LBS	Grey Vinyl
Protection: Drape Lead 0.5mm Pb LE		
Material: Lead protective material		



PTSASSY

Companion stand for PTSSHIELD4

PORTA-SHIELD PTS4 HARDWARE ASSEMBLY

Shipping Weight	Color
29 LBS	White
Material: Aluminum	

Got UDI? We Do.

All medical devices, including medical aprons, must be registered with the FDA. SmartID lets you manage Unique Device Identification (UDI) numbers and inventory to streamline compliance.

2023

www.BurMed.com

B

M

23

DRAPES



Custom Saddle
Drape

Custom Drape with
Hook & Loop Attachment

DRAPE

CUSTOM SIZE DRAPE

Overall Dimensions	Shipping Weight	Color
Custom	Custom	Dartex & Grey Vinyl Available
Protection: Lead Protective Material 0.5mm		
Material: Lead protective material		



DRP1000 DRAPE

DRAPE ONLY-GREY VINYL SINGLE PIVOT
DRAPE SOLD SEPARATELY FROM ARM

Overall Dimensions	Color
6 Panels 28" Long	Grey Vinyl
Protection: Lead Protective Material 0.5mm	
Material: Lead protective material	



DRP1000 ARM

ARM ONLY FOR SINGLE PIVOT DRAPE

Overall Dimensions	Color
Swing 26" Long	Metal
Material: Aluminum	



DRP2000 DRAPE

DRAPE ONLY GREY VINYL DOUBLE PIVOT
DRAPE SOLD SEPARATELY FROM ARM

Overall Dimensions	Color
8 Panels 28" Long	Grey Vinyl
Protection: Lead Protective Material 0.5mm	
Material: Lead protective material	



DRP2000 ARM

ARM ONLY FOR A DOUBLE PIVOT DRAPE

Overall Dimensions	Color
Swing 36" Long	Metal
Protection: Lead Protective Material 0.5mm	
Material: Aluminum	



DRP1000A

VINYL DRAPE ABOVE TABLE ATTACHMENT

Overall Dimensions	Color
22" W x 9" H	Black Vinyl
Protection: Lead Protective Material 0.5mm	
Material: Lead protective material	



**Burlington
Medical**

POWERED BY **XENOLITE**



Fully Customized and Made to Order Table Pads and Covers

Increase patient safety and reduce length of stay with high-quality, extremely durable, and economically advantageous table pads and covers from Burlington Medical.



To place an order call 1-800-221-3466

See why we're the radiation protection experts at BurMed.com

3 Elmhurst St / PO BOX 3194 / Newport News / VA 23603

Online: www.BurMed.com / Phone: 1-800-221-3466